

CURRICULUM VITAE

01/10

NAME: Steven William Graves

ADDRESS: 5401 W. 10480 N., Highland, UT 84003

PLACE OF BIRTH: Salt Lake City, Utah

EDUCATION:

1969 B.A. University of Utah

1972 M.Phil. Yale University (Chemistry)

1978 Ph.D. Yale University (Bioinorganic Chemistry)

POSTDOCTORAL TRAINING:

Research Fellowship:

1978-1981 Research Fellow in Medicine (Biochemistry), Tufts University School
of Medicine, Boston

Subspecialty Fellowship:

1981-1983 Fellow in Clinical Chemistry, Washington University School of
Medicine, St. Louis

ACADEMIC APPOINTMENTS:

1983-1991 Instructor in Medicine (Biochemistry), Harvard Medical School

1991-1997 Assistant Professor of Medicine, Harvard Medical School

1992- 1997 Adjunct Professor of Chemistry, Mathematics and Physics,

Massachusetts College of Pharmacy and Allied Health Sciences

1997-2000 Associate Professor of Medicine, Harvard Medical School

1998-present Associate Professor, Department of Chemistry and Biochemistry,
Brigham Young University

2004-present Adjunct Associate Professor, Department of Obstetrics and
Gynecology, University of Utah School of Medicine

2007-present Professor, Department of Chemistry and Biochemistry, Brigham
Young University

BIBLIOGRAPHY

Original Reports

1. Graves SW, Fox J, Babior B. The deamination of 2-aminopropanol by ethanolamine ammonia-lyase, an AdoCbl-requiring enzyme. Kinetics and isotope effects for the (R)- and (S)-enantiomers of the substrate. *Biochemistry* 1980; 19:3630-3.
2. Diziol P, Haas H, Retey J, Graves SW, Babior BM. Steric course of the ethanolamine ammonia-lyase reaction. *Eur J Biochem* 1980; 106:211-24.
3. Graves SW, Krouwer J, Babior BM. Mechanism of action of ethanolamine ammonia-lyase, an AdoCbl-requiring enzyme. Mechanistic significance of the enzyme-catalyzed deamination of 1-amino-2-propanol. *J Biol Chem* 1980; 255:7444-8.
4. Graves SW, Babior BM. Interaction of N-substituted ethanolamine analogs with ethanolamine ammonia-lyase, an adenosylcobalamin-requiring enzyme. *J Biol Chem* 1982; 257:4102-5.
5. Apple FS, Koch DD, Graves S, Ladenson JH. Relationship between direct potentiometric and flame photometric measurement of sodium in blood. *Clin Chem* 1982; 28:1931-5.
6. Valdes R Jr, Graves SW, Brown BA, Landt M. Endogenous substances in newborn infants causing false-positive digoxin measurements. *J Pediatrics* 1983; 102:947-50.
7. Graves SW, Brown B, Valdes R Jr. Digoxin-like substances measured in patients with renal impairment. *Ann Int Med* 1983; 99:604-8.
8. Valdes R, Brown BA, Graves SW. Immunoassay cross-reactivities of digoxin metabolites. *Am J Clin Pathol* 1984; 82:210-3.

9. Graves SW, Valdes R, Brown BA, Knight AB, Craig HR. Endogenous immunoreactive digoxin-like substance in human pregnancies. *J Clin Endocrinol Metab* 1984; 58:748-51.
10. Graves SW, Williams GH. An endogenous ouabain-like factor associated with hypertensive pregnancies. *J Clin Endocrinol Metab* 1984; 59:1070-4.
11. Valdes R Jr, Graves SW, Knight AB, Craig HR. Endogenous digoxin-immunoactivity is elevated in hypertensive pregnancy. *Prog Clin Biol Res* 1985; 192:229-32.
12. Valdes R, Graves SW. Protein binding of endogenous digoxin-immunoactive factor in human serum and its variation with clinical condition. *J Clin Endocrinol Metab* 1985; 60:1135-43.
13. Graves SW. The possible role of digitalis-like factors in pregnancy-induced hypertension. *Hypertension* 1987; 10(S Pt 2):I-84-6.
14. Graves SW, Sharma K, Chandler AB. Methods for eliminating interferences in digoxin immunoassays caused by digoxin-like factors. *Clin Chem* 1986; 32:1506-9.
15. Graves SW, Eder JP, Schryber SM, Sharma K, Brena A, Antman KH, Peters WP. Endogenous digoxin-like immunoreactive factor and digitalis-like factor associated with the hypertension of patients receiving multiple alkylating agents as part of autologous bone marrow transplantation. *Clin Sci* 1989; 77:501-7.
16. Graves SW, Adler G, Stuenkel C, Sharma K, Brena A, Majzoub J. Increases in plasma digitalis-like factor activity in response to insulin-induced hypoglycemia. *Neuroendocrinology* 1989; 49:586-91.
17. Naomi S, Graves S, Lazarus M, Williams GH, Hollenberg NK. Variation in apparent

- serum digitalis-like factor levels with different digoxin antibodies: The "immunochemical fingerprint". *Am J Hypertens* 1991; 4:795-801.
18. Seely EW, Williams GH, Graves SW. Markers of sodium and volume homeostasis in pregnancy-induced hypertension. *J Clin Endocrinol Metab* 1992; 74:150-6.
 19. Seely EW, Wood RJ, Brown EM, Graves SW. Lower serum ionized calcium and abnormal calcitropic hormone levels in preeclampsia. *J Clin Endocrinol Metab* 1992; 74:1436-40.
 20. Graves SW, Moore TJ, Seely EW. Increased platelet angiotensin II receptor number in pregnancy-induced hypertension. *Hypertension* 1992; 20:627-32.
 21. Seely EW, Canessa ML, Graves SW. Impact of diabetes on sodium-lithium countertransport in pregnancy-induced hypertension. *Am J Hypertens* 1993; 6:422-6
 22. Xie LQ, Markides KE, Lee ML, Hollenberg NK, Williams GH, Graves SW. Bioanalytical applications of multidimensional open tubular column supercritical fluid chromatography. *Chromatographia* 1993; 35:363-71.
 23. Stewart L, Hamilton C, Ingwall J, Naomi S, Graves S, Canessa M, Williams G, Hollenberg N. Vascular smooth muscle response to ouabain: relation of tissue sodium to the contractile response. *Circ Res* 1993; 73:1113-20.
 24. Graves SW, Wood RJ, Brown EM, Seely EW. Calcium and calcitropic hormones in transient hypertension of pregnancy versus preeclampsia. *Hypertension in Pregnancy* 1994; 13:87-95.
 25. Emanuel RL, Robinson BG, Seely EW, Graves SW, Kohane I, Saltzman D, Barbieri R, Majzoub JA. Corticotropin releasing hormone levels in human plasma and amniotic fluid

- during gestation. *Clin Endocrinol (Oxf)* 1994; 40:257-62.
26. Doolittle MH, Lincoln K, Graves SW. An unexplained elevation in serum digoxin levels: A case report. *Clin Chem* 1994; 40:487-92.
 27. Szal SE, Repke JT, Seely EW, Graves SW, Parker CA, Morgan KG. $[Ca^{2+}]_i$ signaling in pregnant human myometrium. *Am J Physiol* 1994; 267:E77-87.
 28. Solomon CG, Graves SW, Greene MF, Seely EW. Glucose intolerance as a predictor of hypertension in pregnancy. *Hypertension* 1994; 23:717-21.
 29. Tao QF, Soszynski PA, Hollenberg NK, Graves SW. A sensitive assay for sodium pump inhibition. *Clin Chem* 1994; 40:1595-6.
 30. Graves SW, Naomi S, Williams GH, Hollenberg NK. Digitoxin Antibody Crossreactivity and Evaluation of Potential Candidates for the Circulating Digitalis-like Immunoreactive Factor. *Clin Chem* 1994; 40:1977-8.
 31. Glatter KA, Graves SW, Hollenberg NK, Soszynski PA, Tao QF, Frem GJ, Williams GH, Lazarus JM. Sustained volume expansion and $[Na,K]ATPase$ inhibition in chronic renal failure. *Am J Hypertens* 1994; 7:1016-25.
 32. Graves SW, Lincoln K, Cook SL, Seely EW. Digitalis-like factor and digoxin-like immunoreactive factor in diabetic women with preeclampsia, transient hypertension of pregnancy, and normotensive pregnancy. *Am J Hypertens* 1995; 8:5-11.
 33. Tao QF, Soszynski PA, Hollenberg NK, Graves SW. A sensitive $[Na,K]ATPase$ assay, specific for inhibitors acting via the digitalis-binding site. *J Cardiovasc Pharmacol* 1995; 25:859-63.
 34. Krep H, Price DA, Soszynski P, Tao Q-F, Graves SW, Hollenberg NK. Volume sensitive

- hypertension and the digoxin-like factor: reversal by an Fab directed against digoxin in DOCA:salt hypertensive rats. *Am J Hypertens* 1995; 8:921-7.
35. Krep HH, Graves SW, Price DA, Lazarus M, Ensign A, Soszynski PA, Hollenberg NK. Reversal of sodium pump inhibitor induced vascular smooth muscle contraction with Digibind: stoichiometry and its implications. *Am J Hypertens* 1995; 9:39-46.
36. Tao QF, Soszynski PA, Hollenberg NK, Graves SW. Specificity of the volume-sensitive sodium pump inhibitor isolated from human peritoneal dialysate in chronic renal failure. *Kidney Int* 1996;49:420-9.
37. Krep H, LeFurgey A, Graves SW, Hockett D, Ingram P, Hollenberg NK. Elemental composition of sodium-pump inhibited rabbit aorta vascular smooth muscle cells by electron probe x-ray microanalysis. *Am J Physiol* 1996;271:H514-H520.
38. Liendo C, Ghali JK, Graves SW. A new interference in some digoxin assays: anti-murine heterophilic antibodies. *Clin Pharm Therapeut* 1996;60:593-8.
39. Tao Q-F, Hollenberg NK, Price DA, Graves SW. Sodium pump isoform specificity for the digitalis-like factor isolated from human peritoneal dialysate. *Hypertens* 1996;29:815-21.
40. Seely EW, Brown EM, DeMaggio DM, Weldon DK, Graves SW. A prospective study of calciotropic hormones in pregnancy and the postpartum state: Reciprocal changes in serum intact parathyroid hormone and 1,25-dihydroxyvitamin D. *Am J Obstet Gynecol* 1997;176:214-7.
41. Soszynski PA, Tao Q-F, Krep HH, Hollenberg NK, Graves SW. Renal sodium pump regulation in deoxycorticosterone salt hypertension in the rat. *Am J Hypertens*

- 1997;10:525-34.
42. Soszynski PA, Ensign A, Graves SW, Hollenberg NK. Specificity of the vascular smooth muscle contractile response to a labile digitalis-like factor in peritoneal dialysate: The influence of potassium. *Am J Hypertens* 1997;10:1342-48.
 43. Gilson GJ, Graves SW, Foster A, Curet LB. Digoxin-like immunoreactive factor and sodium-potassium-ATPase activity in normal pregnancy: a longitudinal study. *Obstet Gynecol* 1997;89:743-6.
 44. Soszynski PA, Tao Q-F, Hollenberg NK, Graves SW. Tissue specific regulation of the sodium pump in DOCA-salt hypertension. *Am J Hypertens* 1997;10:1132-39.
 45. Datta P, Lincoln K, Graves SW. Patients with suspicious digoxin levels: Evaluation of the potential contribution of crossreactive digoxin metabolites. *Clin Biochem* 1998;31:51-54.
 46. Maxwell CV, Tao Q-F, Seely EW, Repke JT, Graves SW. Regulation of the sodium pump in pregnancy-related tissues in preeclampsia. *Am J Obstet Gyn* 1998;179:28-34.
 47. Chen S, Graves SW, Lee ML. Zone shape and concentration in isotachopheresis-capillary zone electrophoresis. *J Microcolumn Separations* 1999;11:341-345.
 48. Mahmoudi N, Graves SW, Repke JT, Solomon CG, Seely EW. Eclampsia: a 13-year experience at a United States tertiary care center. *J Women's Health Gender Based Med* 1999;8:495-500.
 49. Solomon CG, Carroll JS, Okamura K, Graves SW, Seely EW. Higher cholesterol and insulin levels in pregnancy are associated with increased risk for pregnancy-induced hypertension. *Am J Hypertens* 1999;12:276-282.

50. Tao Q-F, Hollenberg NK, Graves SW. Sodium pump inhibition and regional expression of sodium pump alpha isoforms in lens. *Hypertens* 1999;34:1168-1174.
51. Chen S, Graves SW, Lee ML. Zone shape and concentration in isotachopheresis-capillary electrophoresis. *J Micro Sep* 1999;11:341-345.
52. Graves SW, Markides KE, Hollenberg NK. Application of supercritical fluid chromatography to characterize a labile digitalis-like factor. *Hypertens* 2000;36:1059-1064.
53. Tokunaga H, Hollenberg NK, Graves SW. Sodium-dependent calcium release from vascular smooth muscle mitochondria. *Hypertens Res* 2000;23:39-45.
54. Carroll JS, Seely EW, Tao Q-F, Graves SW. Digitalis-like factor response to the hyperinsulinemia accompanying a euglycemic hyperinsulinemic clamp or oral glucose tolerance test. *Life Sciences* 2001;69:829-837.
55. Peterson ZD, Collins DC, Bowerbank CR, Lee ML, Graves SW. Determination of catecholamines and metanephrines in urine by capillary electrophoresis–electrospray ionization–time-of-flight mass spectrometry. *J Chromatog B* 2002;776:221-229.
56. Seely EW, Carroll JA, Goodfriend TL, Tao Q-F, Graves SW. Digitalis-like factor response to hyperinsulinemia in human pregnancy, a model of insulin resistance. *J Hum Hypertens* 2002;16:851-856.
57. Esplin MS, Fausett MB, Faux DS, Graves SW. Changes in the isoforms of the sodium pump in the placenta and myometrium of women in labor. *Am J Obstet Gynecol* 2003; 188:759-764.

58. Peterson ZD, Bowerbank CR, Collins DC, Graves SW, Lee ML. Advantages and limitations of coupling isotachopheresis and comprehensive isotachopheresis-capillary electrophoresis to time-of-flight mass spectrometry. *J Chromatog A* 2003;992:169-179.
59. Merrell K, Southwick K, Graves SW, Esplin MS, Lewis NE, Thulin CD. Analysis of low-abundance, low-molecular-weight serum proteins using mass spectrometry. *J Biomolec Techniques* 2004;15:235-244
60. Peterson ZD, Lee ML, Graves SW. Determination of serotonin and its precursors in human plasma by capillary electrophoresis-electrospray time-of-flight mass spectrometry. *J Chromatog B* 2004;810:101-110.
61. Bently-Lewis R, Graves SW, Seely EW. The renin-aldosterone response to stimulation and suppression during normal pregnancy. *Hypertens Pregnancy* 2005;24:1-16.
62. Zhen Y, Franz KB, Graves SW. A novel assay of cell rubidium uptake using graphite furnace atomic absorption: Application to rats on a magnesium deficient diet. *J Nutritional Biochem* 2005;16:291-296.
63. Kurina LM, Weiss LA, Graves SW, Perry R, Williams GH, Abney M, Ober C. Sex differences in the genetic basis of morning serum cortisol levels: Genome-wide screen identifies two novel loci specific to women. *J Clin Endo Metab* 2005;90:4747-4752.
64. Vance CJ, Esplin MS, Hamblin S, Graves SW. Alterations in uterine sodium pump abundance may contribute to the onset and progression of term and preterm labor in mice. *Amer J Obstet Gynecol* 2006;195:1407-1414.
65. Culwell T, Merrell K, Thulin CD, Graves SW. LCMS and 2DGE studies of dietary perturbations of the fruit fly proteome. *J Biomolec Techniques* 2008,19,244-250.

66. Merrell K, Thulin CD, Esplin MS, Graves SW. Selection of internal serum peptides as standards for cLC-MS time normalization for serum proteomics. *J Biomolec Techniques* 2008,19:320-327
67. Ahmed SB, Bentley-Lewis R, Hollenberg NK, Graves SW, Seely EW. A comparison of prediction equations for estimating glomerular filtration rate in pregnancy. *Hypertens Preg* 2009;28:1-13
68. Merrell K, Thulin CD, Esplin MS, Graves SW. An integrated serum proteomic approach capable of monitoring the low molecular weight proteome with sequencing of intermediate to large peptides. *Rapid Comm Mass Spectrom* 2009;23:2685-2696

Proceedings of Meetings

1. Graves SW, Glatter K, Lazarus MJ, Hollenberg NK. Volume expansion in renal failure patients: a paradigm for a clinically relevant [Na,K]ATPase inhibitor. *J Cardiovasc Pharmacol* 1993; 22(S2):S54-7.
2. Graves SW, Soszynski PA, Tao QF, Williams GH, Hollenberg NK. A labile endogenous Na-pump inhibitor. In: Bamberg E, Schoner W. The Sodium Pump: Structure, Mechanism, Hormonal Control and its Role in Disease. Darmstadt: Steinkopff; New York: Springer, 1994:771-4.
3. Graves SW, Tao QF, Markides KE, Williams GH, Hollenberg NK. A labile sodium pump inhibitor from the peritoneal dialysate of hypertensive renal failure patients: Estimates of potency. *Clin Exp Hypertens* 1998;20:611-616.
4. Peterson ZD, Collins DC, Bowerbank CR, Lee ML, Graves SW. Solid phase extraction or the analysis of catecholamines and metanephrines by capillary electrophoresis-lectrospray ionization-time-of-flight mass spectrometry. *Proceedings of the 24th International Symposium on Capillary Chromatography and Electrophoresis, Las Vegas, ay, 2001 (on-line journal).*

Reviews and Chapters

1. Diziol P, Haas H., Retey J, Graves SW, Babior BM. Steric course of the ethanolamine-ammonia lyase reaction. In: Zagalak B, Friedrich W, eds. Vitamin B₁₂. New York:
2. Measurement of sodium association to bicarbonate and human albumin by direct potentiometry and ²³Na-nuclear magnetic resonance. In: Koch TR, ed. Proceedings of National Bureau of Standards Workshop: Direct Potentiometric Measurement in Blood 1985; pp 117-26.
3. Graves SW. Endogenous digitalis-like factors. In: Batsakis JG, Savory J., eds. Critical Reviews in Clinical Laboratory Sciences, Florida: CRC Press 1986; 23:177-200.
4. Graves SW, Williams GH. Endogenous digitalis-like natriuretic factors. Ann Rev Med 1987; 38:433-44.
5. Seely EW, Graves SW. Calcium homeostasis in normotensive and hypertensive pregnancy. Comprehensive Therapy 1993; 19:124-8.
6. Graves SW, Seely EW, Williams GH. Genes, phenotypes and hypertensive pregnancy. Nature Genetics 1993;4:7-8.
7. Graves SW. The sodium pump in hypertension. Current Opinion in Nephrology and Hypertension 1994;3:107-111.
8. Seely EW, Graves SW. Hormonal Control of Sodium and Volume in the Nonpregnant and Pregnant State. Resident Staff Physician 1994;40:23-32.
9. Hollenberg NK, Graves SW. Koch's postulates and the digitalis-like factor. Hypertens Research 1995;18:1-6.
10. Seely EW, Graves SW, Repke JT. Hypertension in pregnancy. In: Smith TW, ed.

Cardiovascular Therapeutics. Philadelphia:WB Saunders, 1996, pp. 564-574.

11. Hollenberg NK, Graves SW. Endogenous sodium pump inhibition: current status and therapeutic opportunities. *Prog Drug Res* 1996;46:9-42.
12. Graves SW, Jaffe LS, Seely EW. The role of anterior pituitary hormone measurements in the evaluation of the pituitary hypofunction. *Resident Staff Physician* 1997;43:23-33.
13. Graves SW, Hollenberg NK, Tao Q-F, Price DA. Sodium pump isoform specificity for digitalis-like factor. *Hypertens* 1997;30:1296-7 (Letter to Editor).
14. Graves SW. Supercritical fluid chromatography for sample preparation and analysis in clinical chemistry. In: Meyers RA, ed. Encyclopedia of Analytical Chemistry: Instrumentation and Applications. Chichester: John Wiley and Sons, Vol. 2, 2000, pp1685-1698.
15. Graves SW. *Angiotensin Protocols*, Clinical Chemistry (Book Review), 2004.
16. Graves SW. Sodium regulation, sodium pump function and sodium pump inhibitors in uncomplicated pregnancy and preclampsia. (Review) *Frontiers in Bioscience* 2007;12:2438-2446