

## Steven W. Graves Publication List

Graves SW, Fox J, Babior B. The deamination of 2-aminopropanol by ethanolamine ammonia-lyase, an AdoCbl-requiring enzyme. Kinetics and isotope effects for the R- and (S)-enantiomers of the substrate. *Biochemistry* 1980; 19:3630-3.

Diziol P, Haas H, Retey J, Graves SW, Babior BM. Steric course of the ethanolamine ammonia-lyase reaction. *Eur J Biochem* 1980; 106:211-24.

Graves SW, Krouwer J, Babior BM. Mechanism of action of ethanolamine ammonia-lyase, an AdoCbl-requiring enzyme. Mechanistic significance of the enzyme-catalyzed deamination of 1-amino-2-propanol. *J Biol Chem* 1980; 255:7444-8.

Graves SW, Babior BM. Interaction of N-substituted ethanolamine analogs with ethanolamine ammonia-lyase, an adenosylcobalamin-requiring enzyme. *J Biol Chem* 1982; 257:4102-5.

Apple FS, Koch DD, Graves S, Ladenson JH. Relationship between direct potentiometric and flame photometric measurement of sodium in blood. *Clin Chem* 1982; 28:1931-5.

Valdes R Jr, Graves SW, Brown BA, Landt M. Endogenous substances in newborn infants causing false-positive digoxin measurements. *J Pediatrics* 1983; 102:947-50.

Graves SW, Brown B, Valdes R Jr. Digoxin-like substances measured in patients with renal impairment. *Ann Int Med* 1983; 99:604-8.

Valdes R, Brown BA, Graves SW. Immunoassay cross-reactivities of digoxin metabolites. *Am J Clin Pathol* 1984; 82:210-3.

Graves SW, Valdes R, Brown BA, Knight AB, Craig HR. Endogenous immunoreactive digoxin-like substance in human pregnancies. *J Clin Endocrinol Metab* 1984; 58:748-51.

Graves SW, Williams GH. An endogenous ouabain-like factor associated with hypertensive pregnancies. *J Clin Endocrinol Metab* 1984; 59:1070-4.

Valdes R Jr, Graves SW, Knight AB, Craig HR. Endogenous digoxin-immunoactivity is elevated in hypertensive pregnancy. *Prog Clin Biol Res* 1985; 192:229-32.

Valdes R, Graves SW. Protein binding of endogenous digoxin-immunoactive factor in human serum and its variation with clinical condition. *J Clin Endocrinol Metab* 1985; 60:1135-43.

Graves SW. The possible role of digitalis-like factors in pregnancy-induced hypertension. *Hypertension* 1987; 10(S Pt 2):1-84-6.

Graves SW, Sharma K, Chandler AB. Methods for eliminating interferences in digoxin immunoassays caused by digoxin-like factors. *Clin Chem* 1986; 32:1506-9.

Graves SW, Eder JP, Schryber SM, Sharma K, Brena A, Antman KH, Peters WP. Endogenous digoxin-like immunoreactive factor and digitalis-like factor associated with the hypertension of patients receiving multiple alkylating agents as part of autologous bone marrow transplantation. *Clin Sci* 1989; 77:501-7.

Graves SW, Adler G, Stuenkel C, Sharma K, Brena A, Majzoub J. Increases in plasma digitalis-like factor activity in response to insulin-induced hypoglycemia. *Neuroendocrinology* 1989; 49:586-91.

Naomi S, Graves S, Lazarus M, Williams GH, Hollenberg NK. Variation in apparent serum digitalis-like factor levels with different digoxin antibodies: The "immunochemical fingerprint". *Am J Hypertens* 1991; 4:795-801.

Seely EW, Williams GH, Graves SW. Markers of sodium and volume homeostasis in pregnancy-induced hypertension. *J Clin Endocrinol Metab* 1992; 74:150-6.

Seely EW, Wood RJ, Brown EM, Graves SW. Lower serum ionized calcium and abnormal calciotropic hormone levels in preeclampsia. *J Clin Endocrinol Metab* 1992; 74:1436-40.

Graves SW, Moore TJ, Seely EW. Increased platelet angiotensin II receptor number in pregnancy-induced hypertension. *Hypertension* 1992; 20:627-32.

Seely EW, Canessa ML, Graves SW. Impact of diabetes on sodium-lithium countertransport in pregnancy-induced hypertension. *Am J Hypertens* 1993; 6:422-6

Xie LQ, Markides KE, Lee ML, Hollenberg NK, Williams GH, Graves SW. Bioanalytical applications of multidimensional open tubular column supercritical fluid chromatography. *Chromatographia* 1993; 35:363-71.

Stewart L, Hamilton C, Ingwall J, Naomi S, Graves S, Canessa M, Williams G, Hollenberg N. Vascular smooth muscle response to ouabain: relation of tissue sodium to the contractile response. *Circ Res* 1993; 73:1113-20.

Graves SW, Wood RJ, Brown EM, Seely EW. Calcium and calciotropic hormones in transient hypertension of pregnancy versus preeclampsia. *Hypertension in Pregnancy* 1994; 13:87-95.

Emanuel RL, Robinson BG, Seely EW, Graves SW, Kohane I, Saltzman D, Barbieri R, Majzoub JA. Corticotropin releasing hormone levels in human plasma and amniotic fluid during gestation. *Clin Endocrinol (Oxf)* 1994; 40:257-62.

Doolittle MH, Lincoln K, Graves SW. An unexplained elevation in serum digoxin levels: A case report. *Clin Chem* 1994; 40:487-92.

Szal SE, Repke JT, Seely EW, Graves SW, Parker CA, Morgan KG.  $[Ca^{2+}]_i$  signaling in pregnant human myometrium. *Am J Physiol* 1994; 267:E77-87.

Solomon CG, Graves SW, Greene MF, Seely EW. Glucose intolerance as a predictor of hypertension in pregnancy. *Hypertension* 1994; 23:717-21.

Tao QF, Soszynski PA, Hollenberg NK, Graves SW. A sensitive assay for sodium pump inhibition. *Clin Chem* 1994; 40:1595-6.

Graves SW, Naomi S, Williams GH, Hollenberg NK. Digitoxin Antibody Crossreactivity and Evaluation of Potential Candidates for the Circulating Digitalis-like Immunoreactive Factor. *Clin Chem* 1994; 40:1977-8.

Glatter KA, Graves SW, Hollenberg NK, Soszynski PA, Tao QF, Frem GJ, Williams GH, Lazarus JM. Sustained volume expansion and  $[Na,K]ATPase$  inhibition in chronic renal failure. *Am J Hypertens* 1994; 7:1016-25.

Graves SW, Lincoln K, Cook SL, Seely EW. Digitalis-like factor and digoxin-like immunoreactive factor in diabetic women with preeclampsia, transient hypertension of pregnancy, and normotensive pregnancy. *Am J Hypertens* 1995; 8:5-11.

Tao QF, Soszynski PA, Hollenberg NK, Graves SW. A sensitive  $[Na,K]ATPase$  assay, specific for inhibitors acting via the digitalis-binding site. *J Cardiovasc Pharmacol* 1995; 25:859-63.

Krep H, Price DA, Soszynski P, Tao Q-F, Graves SW, Hollenberg NK. Volume sensitive hypertension and the digoxin-like factor: reversal by an Fab directed against digoxin in DOCA:salt hypertensive rats. *Am J Hypertens* 1995; 8:921-7.

Krep HH, Graves SW, Price DA, Lazarus M, Ensign A, Soszynski PA, Hollenberg NK. Reversal of sodium pump inhibitor induced vascular smooth muscle contraction with Digibind: stoichiometry and its implications. *Am J Hypertens* 1995; 9:39-46.

Tao QF, Soszynski PA, Hollenberg NK, Graves SW. Specificity of the volume-sensitive sodium pump inhibitor isolated from human peritoneal dialysate in chronic renal failure. *Kidney Int* 1996;49:420-9.

Krep H, LeFurgey A, Graves SW, Hockett D, Ingram P, Hollenberg NK. Elemental composition of sodium-pump inhibited rabbit aorta vascular smooth muscle cells by electron probe x-ray microanalysis. *Am J Physiol* 1996;271:H514-H520.

Liendo C, Ghali JK, Graves SW. A new interference in some digoxin assays: anti-murine heterophilic antibodies. *Clin Pharm Therapeut* 1996;60:593-8.

Tao Q-F, Hollenberg NK, Price DA, Graves SW. Sodium pump isoform specificity for the digitalis-like factor isolated from human peritoneal dialysate. *Hypertens* 1996;29:815-21.

Seely EW, Brown EM, DeMaggio DM, Weldon DK, Graves SW. A prospective study of calciotropic hormones in pregnancy and the postpartum state: Reciprocal changes in serum intact parathyroid hormone and 1,25-dihydroxyvitamin D. *Am J Obstet Gynecol* 1997;176:214-7.

Soszynski PA, Tao Q-F, Krep HH, Hollenberg NK, Graves SW. Renal sodium pump regulation in deoxycorticosterone salt hypertension in the rat. *Am J Hypertens* 1997;10:525-34.

Soszynski PA, Ensign A, Graves SW, Hollenberg NK. Specificity of the vascular smooth muscle contractile response to a labile digitalis-like factor in peritoneal dialysate: The influence of potassium. *Am J Hypertens* 1997;10:1342-48.

Gilson GJ, Graves SW, Foster A, Curet LB. Digoxin-like immunoreactive factor and sodium-potassium-ATPase activity in normal pregnancy: a longitudinal study. *Obstet Gynecol* 1997;89:743-6.

Soszynski PA, Tao Q-F, Hollenberg NK, Graves SW. Tissue specific regulation of the sodium pump in DOCA-salt hypertension. *Am J Hypertens* 1997;10:1132-39.

Datta P, Lincoln K, Graves SW. Patients with suspicious digoxin levels: Evaluation of the potential contribution of crossreactive digoxin metabolites. *Clin Biochem* 1998;31:51-54.

Maxwell CV, Tao Q-F, Seely EW, Repke JT, Graves SW. Regulation of the sodium pump in pregnancy-related tissues in preeclampsia. *Am J Obstet Gyn* 1998;179:28-34.

Chen S, Graves SW, Lee ML. Zone shape and concentration in isotachopheresis-capillary zone electrophoresis. *J Microcolumn Separations* 1999;11:341-345.

Mahmoudi N, Graves SW, Repke JT, Solomon CG, Seely EW. Eclampsia: a 13-year experience at a United States tertiary care center. *J Women's Health Gender Based Med* 1999;8:495-500.

Solomon CG, Carroll JS, Okamura K, Graves SW, Seely EW. Higher cholesterol and insulin levels in pregnancy are associated with increased risk for pregnancy-induced hypertension. *Am J Hypertens* 1999;12:276-282.

Tao Q-F, Hollenberg NK, Graves SW. Sodium pump inhibition and regional expression of sodium pump alpha isoforms in lens. *Hypertens* 1999;34:1168-1174.

Chen S, Graves SW, Lee ML. Zone shape and concentration in isotachopheresis-capillary electrophoresis. *J Micro Sep* 1999;11:341-345.

Graves SW, Markides KE, Hollenberg NK. Application of supercritical fluid chromatography to characterize a labile digitalis-like factor. *Hypertens* 2000;36:1059-1064.

Tokunaga H, Hollenberg NK, Graves SW. Sodium-dependent calcium release from vascular smooth muscle mitochondria. *Hypertens Res* 2000;23:39-45.

Carroll JS, Seely EW, Tao Q-F, Graves SW. Digitalis-like factor response to the hyperinsulinemia accompanying a euglycemic hyperinsulinemic clamp or oral glucose tolerance test. *Life Sciences* 2001;69:829-837.

Peterson ZD, Collins DC, Bowerbank CR, Lee ML, Graves SW. Determination of catecholamines and metanephrines in urine by capillary electrophoresis-electrospray ionization-time-of-flight mass spectrometry. *J Chromatog B* 2002;776:221-229.

Seely EW, Carroll JA, Goodfriend TL, Tao Q-F, Graves SW. Digitalis-like factor response to hyperinsulinemia in human pregnancy, a model of insulin resistance. *J Hum Hypertens* 2002;16:851-856.

Esplin MS, Fausett MB, Faux DS, Graves SW. Changes in the isoforms of the sodium pump in the placenta and myometrium of women in labor. *Am J Obstet Gynecol* 2003; 188:759-764.

Peterson ZD, Bowerbank CR, Collins DC, Graves SW, Lee ML. Advantages and limitations of coupling isotachopheresis and comprehensive isotachopheresis-capillary electrophoresis to time-of-flight mass spectrometry. *J Chromatog A* 2003;992:169-179.

Merrell K, Southwick K, Graves SW, Esplin MS, Lewis NE, Thulin CD. Analysis of low-abundance, low-molecular-weight serum proteins using mass spectrometry. *J Biomolec Techniques* 2004;15:235-244

Peterson ZD, Lee ML, Graves SW. Determination of serotonin and its precursors in human plasma by capillary electrophoresis-electrospray time-of-flight mass spectrometry. *J Chromatog B* 2004;810:101-110.

Bently-Lewis R, Graves SW, Seely EW. The renin-aldosterone response to stimulation and suppression during normal pregnancy. *Hypertens Pregnancy* 2005;24:1-16.

Zhen Y, Franz KB, Graves SW. A novel assay of cell rubidium uptake using graphite furnace atomic absorption: Application to rats on a magnesium deficient diet. *J Nutritional Biochem* 2005;16:291-296.

Kurina LM, Weiss LA, Graves SW, Perry R, Williams GH, Abney M, Ober C. Sex differences in the genetic basis of morning serum cortisol levels: Genome-wide screen identifies two novel loci specific to women. *J Clin Endo Metab* 2005;90:4747-4752.

Vance CJ, Esplin MS, Hamblin S, Graves SW. Alterations in uterine sodium pump abundance may contribute to the onset and progression of term and preterm labor in mice. *Amer J Obstet Gynecol* 2006;195:1407-1414.

Culwell T, Merrell K, Thulin CD, Graves SW. LCMS and 2DGE studies of dietary perturbations of the fruit fly proteome. *J Biomolec Techniques* 2008,19,244-250.

Merrell K, Thulin CD, Esplin MS, Graves SW. Selection of internal serum peptides as standards for cLC-MS time normalization for serum proteomics. *J Biomolec Techniques* 2008,19:320-327

Ahmed SB, Bentley-Lewis R, Hollenberg NK, Graves SW, Seely EW. A comparison of prediction equations for estimating glomerular filtration rate in pregnancy. *Hypertens Preg* 2009;28:1-13

Merrell K, Thulin CD, Esplin MS, Graves SW. An integrated serum proteomic approach capable of monitoring the low molecular weight proteome with sequencing of intermediate to large peptides. *Rapid Comm Mass Spectrom* 2009;23:2685-2696

Adair CD, Buckalew VM, Graves SW, Lam GK, Johnson DD, Saade G, Lewis DF, Robinson C, Danoff TM, Chauhan N, Hopoate-Sitake M, Porter KB, Humphrey RG, Trofatter KF, Amon E, Ward S, Kennedy L, Mason L, Johnston JA.. *Amer J Perinatol* 2010;27:655-662

Hopoate-Sitake ML, Adair CD, Mason LA, Torres C, Kipikasa J, Graves SW. Digibind reverses inhibition of cellular Rb<sup>+</sup> uptake caused by endogenous sodium pump inhibitors present in serum and placenta of women with preeclampsia. *Reproductive Sci*, 2011;18:190-199.

Aditi RS, Karumanchi SA, Shu-Ling F, Gary LH, Hollenberg NK, Graves SW, Seely EW, Correlation of cystatin-C with glomerular filtration rate by inulin clearance in pregnancy. *Hypertens Preg* (In Press)

Esplin MS, Merrell K, Goldenberg R, Lai Y, Iams JD, Mercer B, Spong CY, Miodovnik M, Simhan HN, Van Dorsten P, Dombrowski M. Proteomic identification of serum peptides predicting subsequent spontaneous preterm birth. *Amer J Obstet Gynecol* (In press)